ALLERGY & Individualized Healthcare Plan (IHP) Authorization and In Accordance Utah Department of Healt STUDENT INFORMATION Asthma: 🗌 No 🗌 Yes (if yes, high risk fo	School Year: Action Plan)	Picture				
Student:	DOB: Grade: School:					
Parent:	Phone:	Phone: Email:				
Physician:	Phone: Fax or em		ail:			
School Nurse:	School Phone: Fax or em		Fax or em	ail:		
ALLERGEN(S)						
Allergy to:						
☐ If checked, give epinephrine imme ☐ If checked, give epinephrine imme apparent.	diately if the allerger				otoms are	
Yellow: Mild to Moderate Reaction	Action					
 MILD Symptoms Itchy/runny nose Itchy mouth A few hives, mild itch Mild nausea/discomfort 	 For MILD SYMPTOMS from A SINGLE SYSTEM area, follow the directions below: Antihistamines may be given, if ordered by a healthcare provider. Stay with the person; alert emergency contacts. Watch closely for changes. If symptoms worsen, give epinephrine. For MORE THAN ONE symptom, GIVE EPINEPHRINE 					
Red: Severe Reaction	Action					
 SEVERE Symptoms Short of breath, wheezing, repetitive cough Skin color is pale, blue, Faint, weak pulse, dizzy Tight or hoarse throat, trouble breathing or swallowing Significant swelling of the tongue and/or lips Many hives over body, widespread redness Repetitive vomiting, severe diarrhea Feeling something bad is about to happen, anxiety, confusion 	 INJECT EPINEPHRINE IMMEDIATELY. Call EMS. Tell them the student is having anaphylaxis and may need epinephrine when they arrive. Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their side. Give second dose of epinephrine if symptoms get worse, continue, or do not get better in 5 minutes. Alert emergency contacts. Give other medication (only if prescribed). DO NOT use other medication in place of epinephrine. Antihistamine Inhaler (bronchodilator) if wheezing Transport them to emergency department even if symptoms resolve. Person should remain in ED for at least 4 hours because symptoms may return. 					
Medication Brand	Dose		Side	Effects		
Epinephrine:	0.15 mg IM	0.3 mg IN	Λ			
Antihistamine:						
Other: (e.g., inhaler-bronchodilator of wheezing)					
CONTINUED ON NEXT PAGE						

Allergy & Anaphylaxis Action Plan						
Student Name:	DOB:		School Year:			
PRESCRIBER TO COMPLETE						
 The above named student is under my care. <u>The above reflects my plan of care for the above named student.</u> It is medically appropriate for the student to self-carry Epinephrine Auto Injector (EAI) medication. The student should be in possession of EAI medication and supplies at all times. Student can self-carry and self-administer EAI if needed, when able and appropriate. Student can self-carry, but not self-administer EAI. It is not medically appropriate to carry and self-administer this EAI medication. Please have the appropriate/designated school personnel maintain this student's medication for use in an emergency. 						
Prescriber Name:		Phone:				
Prescriber Signature:		Date:				
PARENT TO COMPLETE	PARENT TO COMPLETE					
 The parent or guardian is to furnish the Epinephrine Auto Injector medication and bring to the school in the current original pharmacy container and pharmacy label with the student's name, medication name, administration time, medication dosage, and healthcare provider's name. The parent or guardian, or other designated adult will deliver to the school and replace the Epinephrine Auto Injector medication within two weeks if the Epinephrine Auto Injector single dose medication is given. If a student has a change in their prescription, the parent or guardian is responsible for providing the newly prescribed information and dosing information as described above to the school. The parent or guardian will complete an updated Epinephrine Auto Injector Medication Authorization and Self-Administration Form (this form) before the designated staff can administer the updated Epinephrine Auto Injector medication grescription. Parent/Guardian Authorization I authorize my student to carry the prescribed medication described above. My student is responsible for, and capable of, possessing an epinephrine auto-injector per UCA 26-41-104. My student and I understand there are serious consequences for sharing any medication with others. I authorize my student to self-carry and self-administer EAI if needed, when able and appropriate. I authorize my student to self-carry and self-administer EAI. 						
Parent Signature:			Date:			
As parent/guardian of the above named student, I give my permission to the school nurse and other designated staff to administer medication and follow protocol as identified in this emergency action plan. I agree to release, indemnify, and hold harmless the above from lawsuits, claim expense, demand or action, etc., against them for helping this student with allergy/anaphylaxis treatment, provided the personnel are following prescriber instruction as written in the emergency action plan above. Parent/Guardians and students are responsible for maintaining necessary supplies, medication and equipment. I give permission for communication between the prescribing health care provider and the school nurse if necessary for allergy management and administration of medication. I understand that the information contained in this plan will be shared with school staff on a need-to-know basis and that it is the responsibility of the parent/guardian to notify school staff whenever there is any change in the student's health status or care.						
Parent Name (print):	Signature:		Date:			
Emergency Contact Name:	Relationship:		Phone:			
SCHOOL NURSE (or principal designee if no school nurse)						
□ Signed by prescriber and parent □ Medication is appropriately labeled □ Medication Log generated						
EAI is kept: Student Carries Backpack Classroom Health Office Front Office Other (specify):						
Allergy & Anaphylaxis EAP distributed to 'need to know' staff: □ Teacher(s) □ PE teacher(s) □ Transportation □ Front Office/Admin □Other (specify):						
School Nurse Signature:			Date:			